



Laboratoire de Santé Animale

Unité Zoonoses Bactériennes

*Laboratoire National de
Référence pour la Brucellose,
les Mycobactérioses, la
Tularémie, le Charbon
bactérien, la Morve et pour
la Chlamydie aviaire*

*Brucellosis, Mycobacterioses,
Tularemia, Anthrax,
Glanders and Avian
Chlamydiosis French
Reference Laboratory*

*Laboratoire de Référence
OMSA pour la Brucellose,
les Chlamydioses aviaire et
abortive, la Morve et la
Tuberculose bovine*

*Brucellosis,
Avian Chlamydiosis,
Enzootic Abortion in ewe,
Glanders and bovine
Tuberculosis
WOAH Reference
Laboratory*

*Laboratoire Communautaire
de Référence pour la
Brucellose et la Morve*

*EU Community Reference
Laboratory for Brucellosis
and Glanders*

Version 1_2024-01

Animal brucellosis serology

Antigens and Kits batches approved by ANSES



anses

Brucellosis SAT antigen – Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
ZOETIS	ASAW	21ZBAI005	03/09/2024
ZOETIS	ASAW	21ZBAI006	02/24/2024

Brucellosis CF antigen – Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
IDEXX	P00120	461	03/2024
Innovative Diagnostics	AG BRU	011	03/2024
Innovative Diagnostics	AG BRU	012	02/2025
Innovative Diagnostics	AG BRU	013	04/2026

Contagious Epididymitis antigen (B.ovis) – Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
Innovative Diagnostics	AG-OCE	007	12/2026

Brucellosis Milk Ring Test antigen Batches approved by ANSES (Bovine bulk tank milk samples)			
Supplier	Product reference	Batch No.	Expiry date
Nil	Nil	Nil	Nil

Brucellosis ELISA - Kits approved by ANSES (bovine serum or milk)							
Supplier	Kit	Product reference	Matrix			Batch No.	Expiry date
			IS	PS	M		
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x	x	22024	09/2024
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		23029	04/2025
IDEXX	IDEXX Brucellosis Serum	P04130-10	x	x		23072	08/2025
IDEXX	IDEXX Brucellosis Milk	P04210-10	x	x	x	22033	06/2024
IDEXX	IDEXX Brucellosis Milk	P04210-10			X	23034	05/2025
IDEXX	IDEXX Brucellosis Milk	P04210-10			X	23104	01/2026
Innovative Diagnostics	ID Screen Brucellosis Milk Indirect	BRUMILK			x	N64	12/2025
Innovative Diagnostics	ID Screen Brucellosis Milk Indirect	BRUMILK			x	K91	12/2024
Innovative Diagnostics	ID Screen Bovine Brucellosis Indirect	BRUS	x	x	x	L12	02/2025
Innovative Diagnostics	ID Screen Bovine Brucellosis Indirect	BRUS	x	x	x	O01	02/2026

IS = individual serum - PS = pool of 10 sera - M = Milk bulk tank sample

* short incubation only



anses

Brucellosis RBT (Rose Bengal) antigen - Batches approved by ANSES			
Supplier	Product reference	Batch No.	Expiry date
IDEXX	P00215	465	07/2024
IDEXX	P00215	469	08/2024
IDEXX	P00215	479	07/2025
IDEXX	P00215	483	11/2025
IDEXX	P00215	486	03/2026
IDEXX	P00215	489	04/2026
IDEXX	P00215	502	11/2026
ZOETIS	ABGT	21ZBAB032	09/2024
ZOETIS	ABGT	21ZBAB033	06/2024
ZOETIS	ABGT	21ZBAB034	11/2024
ZOETIS	ABGT	21ZBAB035	11/2024
ZOETIS	ABGT	21ZBAB036	12/2024
ZOETIS	ABGT	21ZBAB037	03/ 2025
ZOETIS	ABGT	21ZBAB038	04/ 2025
ZOETIS	ABGT	21ZBAB039	04/2025
ZOETIS	ABGT	23ZBAB040	12/ 2026
ZOETIS	ABGTC	21ZBAC018	12/2024
ZOETIS	ABGTC	23ZBAC020	10/ 2026
Innovative Diagnostics	RSA-RB	031	12/2024
Innovative Diagnostics	RSA-RB	032	01/2026
Innovative Diagnostics	RSA-RB-100	032	12/2024
Innovative Diagnostics	RSA-RB-100	033	01/2026

Brucellin skin test - Batches approved by ANSES				
Supplier	Product name	Product reference	Batch No.	Expiry date

Positive / Negative control serum - Batches titled by ANSES				
Supplier	Product name	Product reference	Batch No.	Expiry date
IDEXX	Brucellose positive control	P00130	439	07/2024
IDEXX	Brucellose positive control	P00130	448	01/2025
IDEXX	Brucellose positive control	P00130	456	11/2025
IDEXX	Brucellose positive control	P00130	474	11/2026
IDEXX	Brucellose negative control	P00131	472	10/2026
IDEXX	Brucellose negative control	P00131	482	10/2027
Innovative Diagnostics	Brucellose positive control	MRI-BRU	005	03/2028
Innovative Diagnostics	Brucellose positive control	MRI-BRU	007	09/2029
Innovative Diagnostics	Brucellose positive control	MRI-BRU	008	03/2032
Innovative Diagnostics	Brucellose positive control	MRI-BRU	009	02/2038